



EPSTEIN & GERKEN
1901 Research Boulevard
Suite 340
Rockville, Maryland 20850-3164
(301) 610-7634

RCE #

Atty Docket No.: 0136.101.US

In re the PATENT application of

Jeffrey Diamond

Examiner: Brian E. Glessner

Serial No.: 09/878,214

Group Art Unit: 3635

Filed: June 12, 2001

For: Structures, Window Protection Systems and Methods for Protecting
Glass Panes During Storms

MAIL STOP: PATENT APPLICATION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RECEIVED
DEC 29 2003
GROUP 3600

Sir:

Transmitted herewith are the following documents for filing in the subject patent
application:

Request for Continued Examination (RCE) under 37 C.F.R. §1.114;
Copy of Amendment filed November 20, 2003; and
Credit Authorization Form PTO-2038.

Respectfully submitted,

Karen M. Gerken
Registration No. 31,161

Hand-delivered: 12/19/03



EPSTEIN & GERKEN
1901 Research Boulevard
Suite 340
Rockville, Maryland 20850
(301) 610-7634

Atty D ck t N .: 0136.101-US
(formerly 0136.0004C)

In re the PATENT application of

Jeffrey H. Diamond

Examiner: B. Glessner

Serial No.: 09/878,214

Group Art Unit: 3635

Filed: June 12, 2001

For: Structures, Window Protection Systems and Methods
for Protecting Glass Panes During Storms

RECEIVED
DEC 29 2003
GROUP 3600

MAIL STOP: Non-Fee Amendment

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:


Transmitted herewith is the following document for filing in the subject patent application:

Amendment

No additional fee is required as indicated below:

| | <u>Claims Remaining After Amendment</u> | <u>Highest No. Prev. Paid For</u> | <u>Present Extra</u> | <u>Small/ Entity Add'l Claim Fee</u> | <u>\$</u> |
|-----------|---|---------------------------------------|--------------------------|--|-----------|
| Total: | <u>43</u> | 43 | = 0 | x \$9 | = \$ 0.00 |
| Independ: | <u>11</u> | 11 | = 0 | x \$42 | = \$ 0.00 |
| | | | | Add'l Fee Due: | = \$ 0.00 |

Respectfully submitted,


Karen M. Gerken
Registration No. 31,161

Hand-Delivered: 11-20-03